

SAFETY DATA SHEET

In accordance with Regulation (EU) 2020/878

ANTICORWrap Primer 720, ANTICORRay 720HT

Compilation date: 05.10.2020

Revision: 21.06.2024

Version: 3.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: **ANTICORWrap Primer 720**
ANTICORRay 720HT

Contains: Naphtha (petroleum), hydrotreated light

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: primer.

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PC9a Coatings and paints, thinners, paint removers

PROC10 Roller application or brushing

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Uses advised against: not specified.

1.3. Details of the supplier of the safety data sheet

Supplier: ANTICOR Sp. z o.o.
Address: Wygoda 28, 32-020 Wieliczka, Poland
Telephone No/Fax No: +48 12 288 33 33 / +48 12 278 53 26
E-Mail: anticor@anticor.pl

1.4. Emergency telephone number

+48 12 288 33 33 (available from Monday till Friday during office hours: 8 am – 4 pm)
112 (24h)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Hazard	Classification
	According to Regulation (EC) no. 1272/2008
for physical-chemical properties:	Flam. Liq. 2, H225 Highly flammable liquid and vapour.
for health hazards:	Skin Irrit. 2, H315 Causes skin irritation. STOT SE 3, H336 May cause drowsiness or dizziness.
for environmental hazards:	Aquatic Chronic 2, H411 Toxic to aquatic life with long lasting effects

2.2. Label elements

Hazard pictogram(s): GHS02  GHS07  GHS09 

Signal word(s): Danger

Hazard statement(s):

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s):

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing vapours/spray.



SAFETY DATA SHEET

In accordance with Regulation (EU) 2020/878

ANTICORWrap Primer 720, ANTICORRay 720HT

Compilation date: 05.10.2020

Revision: 21.06.2024

Version: 3.0

P273 Avoid release to the environment.
P312 Call a POISON CENTER/doctor if you feel unwell.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards

The mixture does not contain any substances that meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH regulation.

When using: development of explosive vapour/air mixture possible.

The product does not contain components that are included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Substance name	% mass	Product identifier	Regulation (EC) No 1272/2008 (CLP)	
			Hazard class	H-phrases
Naphtha (petroleum), hydrotreated light:	70 - 80	CAS nr: 64742-49-0 EC nr: 265-151-9 Index nr: 649-328-00-1 Registration nr: not available	Flam. Liq. 2 Skin Irrit. 2 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2	H225 H315 H304 H336 H304

* Note P: The classification as a carcinogen or mutagen does not apply because it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7).

The product does not contain other substances presenting health or environmental hazard above the concentration limits given in the regulations.

The text of the H-phrases is shown in section 16 of the safety data sheet.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation:

Remove person from danger area. Supply person with fresh air and consult doctor.

Contact with skin:

Take off contaminated clothing and wash it before reuse. Wash skin thoroughly with water and soap. When irritation or redness persists, get medical attention.

Contact with eyes:

Flush with plenty of water for several minutes holding the eyelids open, remove contact lenses if present. When irritation or redness persists, get medical attention.

Ingestion:

Do not induce vomiting. Consult doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Skin degreaser, headache, dizziness, irritation of the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Show the safety data sheet or label/ packaging to a person providing first aid. Do not give anything to eat or drink to an unconscious person.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media: carbon dioxide, dry chemical powder, foam.

Unsuitable Extinguishing Media: water jets.

Page 2 of 7



SAFETY DATA SHEET

In accordance with Regulation (EU) 2020/878

ANTICORWrap Primer 720, ANTICORRay 720HT

Compilation date: 05.10.2020

Revision: 21.06.2024

Version: 3.0

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products may be evolved in a fire eg. carbon oxides, toxic pyrolysis products, explosive vapour/air or gas/air mixtures, vapours heavier than air and other unidentified decomposition products. Do not breathe vapours, it may be hazardous to your health.

5.3. Advice for firefighters

Cool endangered containers with water spray. People should be properly trained and equipped with proper clothing and safety equipment. Prevent from entering contaminated water into sewers, rivers or other bodies of water. Dispose of waste water in compliance with current legislation.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use adequate personal protective equipment as required in Section 8 of the safety data sheet. Remove sources of ignition, do not smoke. Ensure adequate ventilation. Avoid contact with eyes and skin. Avoid inhalation of vapours.

6.2. Environmental precautions

Prevent from entering into sewers, surface water, groundwater, soil.

6.3. Methods and material for containment and cleaning up

Cover with absorbent material e.g. universal absorber. Collect waste in suitable containers, which can be labelled and sealed. Dispose of waste in compliance with current legislation.

6.4. Reference to other sections

Refer to Sections 8 and 13 of the safety data sheet.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Remove sources of ignition, do not smoke. Ensure adequate ventilation. Take action to prevent static discharges. Use only in accordance with the manufacturer's instructions. Never eat, drink or smoke during use. Use adequate personal protective equipment as required in Section 8 of the safety data sheet. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Store in a closed and original packaging. Solvent resistant floor. Not to be stored in gangways or stair wells. Protect from direct sunlight and heat.

7.3. Specific end use(s)

Use as directed and instructed by ANTICOR.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

PL: NDS: -, NDSCh: -, NDSP: -

EU: not applicable

DNEL/PNEC: not available

8.2. Exposure controls

Appropriate engineering controls:

Ensure appropriate general/local ventilation.

Eye/face protection:

Tight fitting protective goggles with side shields.

Skin protection:

Short-term contact: natural rubber latex (permeation time >10 min.).



SAFETY DATA SHEET

In accordance with Regulation (EU) 2020/878

ANTICORWrap Primer 720, ANTICORRay 720HT

Compilation date: 05.10.2020

Revision: 21.06.2024

Version: 3.0

Long-term contact: nitrile gloves (thickness ≥ 0.4 mm, permeation time >480 min.).

Protective clothing. Protective hand cream is recommended.

Respiratory protection:

Not required. If OELs are exceeded, use appropriate respiratory protection (mask with filter A P3).

Thermal hazards:

Not applicable.

Environmental exposure controls:

Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

a) Physical state	: Liquid
b) Colour	: Black
c) Odour	: Mild
d) Melting point/freezing point	: Not available
e) Boiling point or initial boiling point and boiling range	: 80-105°C (solvent)
f) Flammability	: Not available
g) Lower and upper explosion limit	: 1 % vol. / 8 % vol. (solvent)
h) Flash point	: -12°C
i) Auto-ignition temperature	: $>250^{\circ}\text{C}$
j) Decomposition temperature	: Not available
k) pH	: Not available
l) Kinematic viscosity	: ca. 200 mPas at 20°C, >20.5 mm ² /s at 40°C
m) Solubility	: Not soluble in water
n) Partition coefficient n-octanol/water (log value)	: Not available
o) Vapour pressure	: Not available
p) Density and/or relative density	: 0.79 g/cm ³
q) Relative vapour density	: Not available
r) Particle characteristics	: Not applicable

9.2. Other information

Not known.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not to be expected.

10.2. Chemical stability

The mixture is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3. Possibility of hazardous reactions

Not known.

10.4. Conditions to avoid

Heating, open flame, ignition sources, electrostatic discharge.

10.5. Incompatible materials

Oxidizing agents.

10.6. Hazardous decomposition products

Not known. Hazardous combustion products are listed in Section 5 of the safety data sheet.



SAFETY DATA SHEET

In accordance with Regulation (EU) 2020/878

ANTICORWrap Primer 720, ANTICORRay 720HT

Compilation date: 05.10.2020

Revision: 21.06.2024

Version: 3.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

Based on available data, the classification criteria are not met.

Naphtha (petroleum), hydrotreated light:

LD50: >2000 mg/kg (oral, rat)

LD50: >3000 mg/kg (dermal)

ATE mix oral: >2000 mg/kg

ATE mix dermal: >2000 mg/kg

ATE mix inhalation: >20 mg/l

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Naphtha (petroleum), hydrotreated light:

NOAEL: 137 mg/kg (oral, mouse)

NOAEL: 52 mg/kg (oral, rat)

Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties: not applicable

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Lack of test results for the product.

Naphtha (petroleum), hydrotreated light:

LC50: 51 mg/l/96h (fish, *Oncorhynchus mykiss*)

EC50: 3 mg/l/48h (*Daphnia magna*)

EC50: 1-10 mg/l (algae)

12.2. Persistence and degradability

Data not available.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.



SAFETY DATA SHEET

In accordance with Regulation (EU) 2020/878

ANTICORWrap Primer 720, ANTICORRay 720HT

Compilation date: 05.10.2020

Revision: 21.06.2024

Version: 3.0

12.5. Results of PBT and vPvB assessment

Data not available.

12.6. Endocrine disrupting properties

Not known.

12.7. Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Recycle or dispose of waste in compliance with current legislation. Do not discharge into drains. Recommended: incineration.

Wastes are classified according to their source, hence the waste code may vary depending on the method and place of waste formation. Detailed waste code should be assigned considering the location and method of waste formation.

Recommended waste code: 08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances

15 01 04 metallic packaging

Directive 2008/98/EC of the European Parliament and of the Council of the Member State.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number or ID number	UN 1263
14.2. UN proper shipping name	PAINT
14.3. Transport hazard class(es)	3
14.4. Packing group	II
14.5. Environmental hazards	Yes
14.6. Special precautions for user	Limited quantities: 5L
14.7. Maritime transport in bulk according to IMO instruments	Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

Annex XVII REACH (restrictions): 3

Annex XIV REACH (authorization): not applicable

Candidate List - SVHC: not applicable

Seveso III (2012/18/EU): P5c, E2

Directive 2010/75/EU (VOC): 63.75%, 504 g/l

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture by a supplier - it is not required.



SAFETY DATA SHEET

In accordance with Regulation (EU) 2020/878

ANTICORWrap Primer 720, ANTICORRay 720HT

Compilation date: 05.10.2020

Revision: 21.06.2024

Version: 3.0

SECTION 16: OTHER INFORMATION

Classification method:

Flam. Lig. 1, H225 – based on test data.

Skin Irrit. 2, H315 – calculation method.

STOT SE 3, H336 – based on the ingredient content.

Aquatic Chronic 2, H411 – calculation method.

Changes made in the safety data sheet during revision:

Sections: 1.1, 2.3, 11.2, 15.

Legend to abbreviations and acronyms used in the safety data sheet:

NDS Occupational Exposure Limit (Poland)

NDSch Short-term Occupational Exposure Limit (Poland)

NDSP Threshold limit value – ceiling (Poland)

OELs Occupational Exposure Limits

vPvB Very persistent and very bioaccumulative (substance)

PBT Persistent, bioaccumulative and toxic (substance)

PNEC Predicted No Effect Concentration

DNEL Derived No Effect Levels

LD50 The dose of a tested substance causing 50% lethality during a specified time interval.

LC50 Concentration of a tested substance causing 50% lethality during a specified time interval

EC50 Concentration of a tested substance causing 50% changes in response (e.g. on growth) during a specified time interval

Literature references and sources for data:

Regulations/legislations mentioned in sections 2 – 15 of safety data sheet. Information supplied by the manufacturers.

List of relevant hazard statements and/or precautionary statements, which are not written out in full under Sections 2 to 15:

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects

Advice on any training appropriate for workers to ensure protection of human health and the environment:

Workers that use the product should be trained and informed about personal protection, accident procedure, etc.

Exposure scenarios: not available.

Information in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. Information provided herein serves only as guidelines for safe work, use, processing, storage, and waste management. It cannot be considered as a warranty or quality certificate. This information applies only to specific material designated and may not be suitable for such material used in combination with any other materials or in any other manner not described in this document.

Prepared by [mia-che](http://www.mia-che.pl) www.mia-che.pl for ANTICOR Sp. z o.o.

